

Elementa doo
Jovana Mikića 56
24000 Subotica
Tel: 024/686-270
Fax:024/686-275
office@elementa.rs

DEKLARACIJA O USAGLAŠENOSTI

br.20-19062024

Proizvođač: **ELEMENTA d.o.o.**
Adresa: **Jovana Mikića 56, Subotica**

Izjavljujemo da:
Naziv proizvoda: **Grejalica sa ventilatorom**

Šifra proizvoda:

FK-Y01, FK-Y01A**, FK-Y01B****: (**= blank, T, F, FT);

FK-Y02;

FK-Y03**: (**= blank, T, F, FT);

FK-Y08, FK-Y08A****: (**= blank, T, F, FT);

FK-Y01, FK-Y01B****: (**= blank, T, F, FT); **FK-Y02**;

FK-Y03**: (**= blank, T, F, FT); **FK-Y08**** (**= blank, T, F, FT): **220-240V**

AC, 50Hz, 1800-2000W, Class I

FK-Y01A** (**= blank, T, F, FT), **FK-Y08A**** (**= blank, T, F, FT) : **230V**

AC, 50Hz, 2000W, Class I

Robna marka:**PROSTO**

Da su gore navedeni proizvodi usaglašeni sa direktivama Evropske Unije:

2014/35 EU Direktiva za električne uređaje niskog napona (LVD)

2014/30 EU Direktiva za elektromagnetsku kompatibilnost (EMC)

Referentni brojevi primenjenih standarda:

EN 60335-1: 2002+A11: 2004+A1: 2004+A12: 2006+A2: 2006+A13: 2008+A14: 2010+A15: 2011

EN 60335-2-30 : 2009

EN 62233: 2008

EN 55014-1: 2006

EN 55014-2: 1997/+A1: 2001

EN 61000-3-2: 2006


EN 61000-3-3: 1995/+A1: 2001/+A2: 2005

Ostale reference i informacije:

Brojevi ispitnih izveštaja: **HZ12050674-001 (13.04.2009), HZ09030260-001 (13.04.2009), HZ09030260-001/A1 (28.07.2013)**

Naziv i adresa ispitne laboratorije: **Intertek Testing Services Hangzhou Ltd.**

Subotica, **19.06.2024**



Ovlašćeno lice
Antun Oravec

CIXI YULONG ELECTRIC APPLIANCE CO.,LTD.

No. 88 HUCHONG RD, CIXI, NINGBO, ZHEJIANG, CHINA

TEL:0086-574-63028220 FAX:0086-574- 63029301

Declaration of Conformity

On behalf of undersigned producer of the product:

Producer: *CIXI YULONG ELECTRIC APPLIANCE CO.,LTD.*

Address: *88 HUCHONG RD, CIXI, NINGBO, ZHEJIANG, CHINA*

We declare that following identified product:

Name of the product: **Convector Heater**

Model No.: **FK-Y01**, FK-Y01A**, FK-Y01B****: (**= blank, T, F, FT);

FK-Y02;

FK-Y03**: (**= blank, T, F, FT);

FK-Y08, FK-Y08A****: (**= blank, T, F, FT);

FK-Y01, FK-Y01B****: (**= blank, T, F, FT); **FK-Y02;**

FK-Y03**: (**= blank, T, F, FT); **FK-Y08**** (**= blank, T, F, FT): **220-240V**

AC, 50Hz, 1800-2000W, Class I

FK-Y01A** (**= blank, T, F, FT), **FK-Y08A**** (**= blank, T, F, FT) : **230V AC,**

50Hz, 2000W, Class I

Trade mark: PROSTO

Fits to the rules of the European Union:

Reference number of the directive:	Name of the directive:
<i>2014/30/EU</i>	Directive of the European Parliament and of the Council about the national legislation regarding the Electromagnetic Compatibility Regulations. (EMC)
<i>2014/35/EU</i>	Directive of the European Parliament and of the Council about the national legislation regarding the Low Voltage Legislation. (LVD)

Reference number of applied standards (identification mark and year of issue):

EN 55014-1: 2006

EN 55014-2: 1997/+A1: 2001

EN 61000-3-2: 2006

EN 61000-3-3: 1995/+A1: 2001/+A2: 2005

EN 60335-2-30 : 2009

EN 60335-1: 2002+A11: 2004+A1: 2004+A12: 2006+A2:

2006+A13: 2008+A14: 2010+A15: 2011

EN 62233: 2008

Other references and information:

Number of Declaration of Conformity according to the declaration (test report):

HZ17062019-EL/ HZ12050674-001, HZ09030260-001, HZ09030260-001/A1 Name and

Address of the issuing institution:

Intertek Testing Services Hangzhou Ltd.

16 No. 1 Ave., Xiasha Economic Development District, Hangzhou 310018, China

Tel. +86 571 2899 7803, Fax. +86 571 2899 7888

Date of issue: *13.04.2009 and 28.07.2013*

Location of technical documentation: *88 HUCHONG RD, CIXI, NINGBO, ZHEJIANG, CHINA*

(Authorized person)

Ningbo, 30/11/2020

CIXI YULONG ELECTRIC APPLIANCE CO.,LTD
慈溪玉龙电器有限公司

HZ30112020 -EL



PREVOD:
„EC” Deklaracija o usaglašenosti

Proizvođača:

CIXI YULONG ELECTRIC APPLIANCE CO.,LTD.
88 HUCHONG RD, CIXI, NINGBO, ZHEJIANG, CHINA

Izjavljujemo da:

Naziv proizvoda: **Grejalica sa ventilatorom**

Šifra proizvoda: **FK-Y01**, FK-Y01A**, FK-Y01B****: (**= blank, T, F, FT);

FK-Y02;

FK-Y03**: (**= blank, T, F, FT);

FK-Y08, FK-Y08A****: (**= blank, T, F, FT);

FK-Y01, FK-Y01B****: (**= blank, T, F, FT); **FK-Y02;**

FK-Y03**: (**= blank, T, F, FT); **FK-Y08**** (**= blank, T, F, FT): **220-240V**

AC, 50Hz, 1800-2000W, Class I

FK-Y01A** (**= blank, T, F, FT), **FK-Y08A**** (**= blank, T, F, FT) : **230V**

AC, 50Hz, 2000W, Class I

Robna marka: PROSTO

Da su gore navedeni proizvodi usaglašeni sa direktivama Evropske Unije:

Referentni broj direktive:	Opis direktive:
2014/35/EU	Direktiva za električne uređaje niskog napona . (LVD)
2014/30/EU	Direktiva za elektromagnetsku kompatibilnost (EMC)

Referentni broj primenjenih standarda:

EN 55014-1: 2006

EN 55014-2: 1997/+A1: 2001

EN 61000-3-2: 2006

EN 61000-3-3: 1995/+A1: 2001/+A2: 2005

EN 60335-2-30 : 2009

EN 60335-1: 2002+A11: 2004+A1: 2004+A12: 2006+A2: 2006+A13: 2008+A14: 2010+A15: 2011

EN 62233: 2008

Broj Deklaracije o usaglašenosti prema deklaraciji (Ispitni izveštaj):

HZ17062019-EL/ HZ12050674-001, HZ09030260-001, HZ09030260-001/A1

Naziv i adresa ispitne laboratorije:

Intertek Testing Services Hangzhou Ltd.

16 No. 1 Ave., Xiasha Economic Development District, Hangzhou 310018, China

Tel. +86 571 2899 7803, Fax. +86 571 2899 7888

Datum izdavanja: **13.04.2009 and 28.07.2013**

Lokacija tehničke dokumentacije:

88 HUCHONG RD, CIXI, NINGBO, ZHEJIANG, CHINA

Ningbo, 30/11/2020



Akcionarsko društvo za ispitivanje kvaliteta KVALITET Niš
Акционарско друштво за испитивање квалитета КВАЛИТЕТ Ниш
Joint-stock company for quality testing KVALITET Niš



POTVRDA O USAGLAŠENOSTI
CONFIRMATION OF CONFORMITY

Broj: **P07190259851**
No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: KAO U PRILOGU
Type:

Robna marka: PROSTO
Trademark:

Proizvodjač: CIXI YULONG ELECTRIC APPLIANCE CO., LTD.
Manufacturer: KINA

Vrednovana dokumentacija *Evaluated documentation:*

Izvešaj/sertifikat: HZ09030260-001/Amendment 2 od 19.8.2012.
Test report/Certificate:

Izdat od: Intertek Testing Service Hangzhou Limited
Issued by:

Na osnovu gore navedene dokumentacije utvrđeno je da gore navedeni proizvod zadovoljava zahteve 'Pravilnika o elektromagnetskoj kompatibilnosti' (Sl. glasnik RS, 25/2016).

On the basis of the above mentioned documentation it is found that above mentioned product fulfils the requirements of the 'Rulebook on Electromagnetic Compatibility' (Official Gazette RS, 25/2016).

Nastale promene u specifikaciji, tipu/modelu, komponentama, električnim karakteristikama proizvoda koji utiču na usaglašenost sa navedenim Pravilnikom moraju se prijaviti "Kvalitet"-u a.d. Niš.

Any changes occur in the specification, type/model, components of the design, electrical construction which may influence on conformity to the above mention Rulebook, shall be forwarded to "Kvalitet".

Mesto i datum izdavanja: **Važi do:**
Place and date: **Valid until:**
Niš, 02.12.2020. 19.06.2024.



Generalni direktor

Vladimir Vukašinić, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs



Akcionarsko društvo za ispitivanje kvaliteta KVALITET Niš
Акционарско друштво за испитивање квалитета КВАЛИТЕТ Ниш
Joint-stock company for quality testing KVALITET Niš



PRILOG POTVRDE O USAGLAŠENOSTI Broj: **P07190259851**
ANNEX OF CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: FK-Y01**; FK-Y01A**; FK-Y01B** ; (**=blank, T, F, FT); FK-Y02; FK-Y03**; (**=blank, T, F, FT); FK-Y08**; FK-Y08A**; (**=blank, T, F, FT); FK-Y01**; FK-Y01B** (**=blank, T, F, FT); FK-Y02; FK-Y03**; (**=blank, T, F, FT); FK-Y08**; (**=blank, T, F, FT): 220-240V AC, 50Hz,1800-2000W,Class I; FK-Y01A** (**=blank, T, F, FT); FK-Y08A** (**=blank, T, F, FT): 230V AC, 50Hz,2000W,Class I

Mesto i datum izdavanja:
Place and date:
Niš, 02.12.2020.

Važi do:
Valid until:
19.06.2024.



Generalni direktor


Vladimir Vukašinić, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs



Akcionarsko društvo za ispitivanje kvaliteta KVALITET Niš
Акционарско друштво за испитивање квалитета КВАЛИТЕТ Ниш
Joint-stock company for quality testing KVALITET Niš



POTVRDA O USAGLAŠENOSTI Broj: **P0819102851**
CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: KAO U PRILOGU
Type:

Robna marka: PROSTO
Trademark:

Proizvodjač: CIXI YULONG ELECTRIC APPLIANCE CO., LTD.
Manufacturer: KINA

Vrednovana dokumentacija *Evaluated documentation:*

Izvešaj/sertifikat: HZ12050674-001,28.07.2012
Test report/Certificate:

Izdat od: INTERTEK KINA
Issued by:

Na osnovu gore navedene dokumentacije utvrđeno je da gore navedeni proizvod zadovoljava zahteve 'Pravilnika o električnoj opremi namenjenoj za upotrebu u okviru određenih granica napona' (Sl. glasnik RS, 25/2016).
On the basis of the above mentioned documentation it is found that above mentioned product fulfils the requirements of the 'Rulebook on Electrical Equipment designed for Use within Certain Voltage Limits' (Official Gazette RS, 25/2016).

Nastale promene u specifikaciji, tipu/modelu, komponentama, električnim karakteristikama proizvoda koji utiču na usaglašenost sa navedenim Pravilnikom moraju se prijaviti "Kvalitet"-u a.d. Niš.
Any changes occur in the specification, type/model, components of the design, electrical construction which may influence on conformity to the above mention Rulebook, shall be forwarded to "Kvalitet".

Mesto i datum izdavanja: **Važi do:**
Place and date: *Valid until:*
Niš, 02.12.2020. 19.06.2024.



Generalni direktor


Vladimir Vukašinović, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.
Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs



Akcionarsko društvo za ispitivanje kvaliteta KVALITET Niš
Акционарско друштво за испитивање квалитета КВАЛИТЕТ Ниш
Joint-stock company for quality testing KVALITET Niš



PRILOG POTVRDE O USAGLAŠENOSTI Broj: **P0819102851**
ANNEX OF CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: FK-Y01**; FK-Y01A**; FK-Y01B** ; (**=blank, T, F, FT); FK-Y02; FK-Y03**; (**=blank, T, F, FT); FK-Y08**; FK-Y08A** ; (**=blank, T, F, FT); FK-Y01**; FK-Y01B** (**=blank, T, F, FT); FK-Y02; FK-Y03** ; (**=blank, T, F, FT); FK-Y08** ; (**=blank, T, F, FT): 220-240V AC, 50Hz, 1800-2000W, Class I; FK-Y01A** (**=blank, T, F, FT); FK-Y08A** (**=blank, T, F, FT): 230V AC, 50Hz, 2000W, Class I

Mesto i datum izdavanja: **Važi do:**
Place and date: *Valid until:*
Niš, 02.12.2020. 19.06.2024.



Generalni direktor

Vladimir Vukašinić, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs

CIXI YULONG ELECTRIC APPLIANCE CO.,LTD.

No. 88 HUCHONG RD, CIXI, NINGBO, ZHEJIANG, CHINA

TEL:0086-574-63028220 FAX:0086-574- 63029301

Declaration of Conformity

On behalf of undersigned producer of the product:

Producer: **CIXI YULONG ELECTRIC APPLIANCE CO.,LTD.**

Address: **88 HUCHONG RD, CIXI, NINGBO, ZHEJIANG, CHINA**

We declare that following identified product:

Name of the product: Convactor Heater
Model No.: FK-Y01**, FK-Y01A**, FK-Y01B** : (**= blank, T, F, FT); FK-Y02; FK-Y03** : (**= blank, T, F, FT); FK-Y08**, FK-Y08A** : (**= blank, T, F, FT); FK-Y01**, FK-Y01B** : (**= blank, T, F, FT); FK-Y02; FK-Y03** : (**= blank, T, F, FT); FK-Y08** (**= blank, T, F, FT): 220-240V AC, 50Hz, 1800-2000W, Class I FK-Y01A** (**= blank, T, F, FT), FK-Y08A** (**= blank, T, F, FT) : 230V AC, 50Hz, 2000W, Class I

Fits to the rules of the European Union:

Reference number of the directive:	Name of the directive:
2014/30/EU	Directive of the European Parliament and of the Council about the national legislation regarding the Electromagnetic Compatibility Regulations. (EMC)
2014/35/EU	Directive of the European Parliament and of the Council about the national legislation regarding the Low Voltage Legislation. (LVD)

Reference number of applied standards (identification mark and year of issue):

EN 55014-1: 2006 EN 55014-2: 1997/+A1: 2001 EN 61000-3-2: 2006 EN 61000-3-3: 1995/+A1: 2001/+A2: 2005 EN 60335-2-30 : 2009 EN 60335-1: 2002+A11: 2004+A1: 2004+A12: 2006+A2: 2006+A13: 2008+A14: 2010+A15: 2011 EN 62233: 2008

Other references and information:

Number of Declaration of Conformity according to the declaration (test report):

HZ17062019-EL/ HZ12050674-001, HZ09030260-001, HZ09030260-001/A1

Name and Adress of the issuing institution:

Intertek Testing Services Hangzhou Ltd.

16 No. 1 Ave., Xiasha Economic Development District, Hangzhou 310018, China

Tel. +86 571 2899 7803, Fax. +86 571 2899 7888

Date of issue: **13.04.2009 and 28.07.2013**

Location of technical documentation: **88 HUCHONG RD, CIXI, NINGBO, ZHEJIANG, CHINA**

CIXI YULONG ELECTRIC APPLIANCE CO.,LTD
慈溪玉龙电器有限公司



(Authorized person)

Ningbo, 17/06/2019

HZ17062019

PREVOD:
„EC” Deklaracija o usaglašenosti

Proizvođača:

CIXI YULONG ELECTRIC APPLIANCE CO.,LTD.
88 HUCHONG RD, CIXI, NINGBO, ZHEJIANG, CHINA

Izjavljujemo da:

Naziv proizvoda: **Grejalica sa ventilatorom**

Šifra proizvoda: **FK-Y01**, FK-Y01A**, FK-Y01B****: (**= blank, T, F, FT);

FK-Y02;

FK-Y03**: (**= blank, T, F, FT);

FK-Y08, FK-Y08A****: (**= blank, T, F, FT);

FK-Y01, FK-Y01B****: (**= blank, T, F, FT); **FK-Y02;**

FK-Y03**: (**= blank, T, F, FT); **FK-Y08**** (**= blank, T, F, FT): **220-240V**

AC, 50Hz, 1800-2000W, Class I

FK-Y01A** (**= blank, T, F, FT), **FK-Y08A**** (**= blank, T, F, FT) : **230V**

AC, 50Hz, 2000W, Class I

Da su gore navedeni proizvodi usaglašeni sa direktivama Evropske Unije:

Referentni broj direktive:	Opis direktive:
2014/35/EU	Direktiva za električne uređaje niskog napona . (LVD)
2014/30/EU	Direktiva za elektromagnetsku kompatibilnost (EMC)

Referentni broj primenjenih standarda:

EN 55014-1: 2006

EN 55014-2: 1997/+A1: 2001

EN 61000-3-2: 2006

EN 61000-3-3: 1995/+A1: 2001/+A2: 2005

EN 60335-2-30 : 2009

EN 60335-1: 2002+A11: 2004+A1: 2004+A12: 2006+A2: 2006+A13: 2008+A14: 2010+A15: 2011

EN 62233: 2008

Broj Deklaracije o usaglašenosti prema deklaraciji (Ispitni izveštaj):

HZ17062019-EL/ HZ12050674-001, HZ09030260-001, HZ09030260-001/A1

Naziv i adresa ispitne laboratorije:

Intertek Testing Services Hangzhou Ltd.

16 No. 1 Ave., Xiasha Economic Development District, Hangzhou 310018, China

Tel. +86 571 2899 7803, Fax. +86 571 2899 7888

Datum izdavanja: **13.04.2009 and 28.07.2013**

Lokacija tehničke dokumentacije:

88 HUCHONG RD, CIXI, NINGBO, ZHEJIANG, CHINA

Ningbo, 17/06/2019



Akcionarsko društvo za ispitivanje kvaliteta KVALITET Niš
Акционерско друштво за испитивање квалитета КВАЛИТЕТ Ниш
Joint-stock company for quality testing KVALITET Niš



POTVRDA O USAGLAŠENOSTI
CONFIRMATION OF CONFORMITY

Broj: P07190259800
No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: KAO U PRILOGU
Type:

Robna marka:
Trademark:

Proizvodjač: CIXI YULONG ELECTRIC APPLIANCE CO., LTD.
Manufacturer: KINA

Vrednovana dokumentacija *Evaluated documentation:*

Izvešaj/sertifikat: HZ09030260-001/Amendment 2 od 19.8.2012.
Test report/Certificate:

Izdat od: Intertek Testing Service Hangzhou Limited
Issued by:

Na osnovu gore navedene dokumentacije utvrđeno je da gore navedeni proizvod zadovoljava zahteve 'Pravilnika o elektromagnetskoj kompatibilnosti' (Sl. glasnik RS, 25/2016).

On the basis of the above mentioned documentation it is found that above mentioned product fulfils the requirements of the 'Rulebook on Electromagnetic Compatibility' (Official Gazette RS, 25/2016).

Nastale promene u specifikaciji, tipu/modelu, komponentama, električnim karakteristikama proizvoda koji utiču na usaglašenost sa navedenim Pravilnikom moraju se prijaviti "Kvalitet"-u a.d. Niš.

Any changes occur in the specification, type/model, components of the design, electrical construction which may influence on conformity to the above mention Rulebook, shall be forwarded to "Kvalitet".

Mesto i datum izdavanja: Niš, 20.06.2019.
Place and date:
Važi do: 19.06.2024.
Valid until:



Za Generalni direktor

Vladimir Vukašinović, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs



Akcionarsko društvo za ispitivanje kvaliteta KVALITET Niš
Акционарско друштво за испитивање квалитета КВАЛИТЕТ Ниш
Joint-stock company for quality testing KVALITET Niš



PRILOG POTVRDE O USAGLAŠENOSTI Broj: **P07190259800**
ANNEX OF CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: FK-Y01**; FK-Y01A**; FK-Y01B** ; (**=blank, T, F, FT); FK-Y02; FK-Y03**; (**=blank, T, F, FT); FK-Y08**; FK-Y08A**; (**=blank, T, F, FT); FK-Y01**; FK-Y01B** (**=blank, T, F, FT); FK-Y02; FK-Y03**; (**=blank, T, F, FT); FK-Y08**; (**=blank, T, F, FT): 220-240V AC, 50Hz, 1800-2000W, Class I; FK-Y01A** (**=blank, T, F, FT); FK-Y08A** (**=blank, T, F, FT): 230V AC, 50Hz, 2000W, Class I

Mesto i datum izdavanja:
Place and date:
Niš, 20.06.2019.

Važi do:
Valid until:
19.06.2024.



Signature Generalni direktor


.....
Vladimir Vukašinić, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs



Akcionarsko društvo za ispitivanje kvaliteta KVALITET Niš
Акционарско друштво за испитивање квалитета КВАЛИТЕТ Ниш
Joint-stock company for quality testing KVALITET Niš



POTVRDA O USAGLAŠENOSTI Broj: **P0819102800**
CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: KAO U PRILOGU
Type:

Robna marka: ELEMENTA
Trademark:

Proizvodjač: CIXI YULONG ELECTRIC APPLIANCE CO., LTD.
Manufacturer: KINA

Vrednovana dokumentacija *Evaluated documentation:*

Izveštaj/sertifikat: HZ12050674-001,28.07.2012
Test report/Certificate:

Izdat od: INTERTEK KINA
Issued by:

Na osnovu gore navedene dokumentacije utvrđeno je da gore navedeni proizvod zadovoljava zahteve 'Pravilnika o električnoj opremi namenjenoj za upotrebu u okviru određenih granica napona' (Sl. glasnik RS, 25/2016).
On the basis of the above mentioned documentation it is found that above mentioned product fulfils the requirements of the 'Rulebook on Electrical Equipment designed for Use within Certain Voltage Limits' (Official Gazette RS, 25/2016).

Nastale promene u specifikaciji, tipu/modelu, komponentama, električnim karakteristikama proizvoda koji utiču na usaglašenost sa navedenim Pravilnikom moraju se prijaviti "Kvalitet"-u a.d. Niš.
Any changes occur in the specification, type/model, components of the design, electrical construction which may influence on conformity to the above mention Rulebook, shall be forwarded to "Kvalitet".

Mesto i datum izdavanja: Niš, 20.06.2019.
Place and date:
Važi do: 19.06.2024.
Valid until:



Za Generalni direktor

Vladimir Vukašinić, dipl.inž.



Akcionarsko društvo za ispitivanje kvaliteta KVALITET Niš
Акционарско друштво за испитивање квалитета КВАЛИТЕТ Ниш
Joint-stock company for quality testing KVALITET Niš



PRILOG POTVRDE O USAGLAŠENOSTI Broj: **P0819102800**
ANNEX OF CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: FK-Y01**; FK-Y01A**; FK-Y01B** ; (**=blank, T, F, FT); FK-Y02; FK-Y03**; (**=blank, T, F, FT); FK-Y08**; FK-Y08A**; (**=blank, T, F, FT); FK-Y01**; FK-Y01B** (**=blank, T, F, FT); FK-Y02; FK-Y03**; (**=blank, T, F, FT); FK-Y08**; (**=blank, T, F, FT): 220-240V AC, 50Hz,1800-2000W,Class I; FK-Y01A** (**=blank, T, F, FT); FK-Y08A** (**=blank, T, F, FT): 230V AC, 50Hz,2000W,Class I

Mesto i datum izdavanja:
Place and date:
Niš, 20.06.2019.

Važi do:
Valid until:
19.06.2024.



Za Generalni direktor
Vladimir Vukašinić

.....
Vladimir Vukašinić, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.
Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, <http://www.kvalitet.co.rs>

PREVOD: „EC” Deklaracija o usaglašenosti

Proizvođača:

**CIXI YULONG ELECTRIC APPLIANCE CO.,LTD.
88 HUCHONG RD, CIXI, NINGBO, ZHEJIANG, CHINA**

Izjavljujemo da:

Naziv proizvoda: **Grejalica sa ventilatorom**
Šifra proizvoda: **FK-Y01**, FK-Y01A**, FK-Y01B****: (**= blank, T, F, FT);
FK-Y02;
FK-Y03**: (**= blank, T, F, FT);
FK-Y08, FK-Y08A****: (**= blank, T, F, FT);
FK-Y01, FK-Y01B****: (**= blank, T, F, FT); **FK-Y02;**
FK-Y03**: (**= blank, T, F, FT); **FK-Y08**** (**= blank, T, F, FT): **220-240V**
AC, 50Hz, 1800-2000W, Class I
FK-Y01A** (**= blank, T, F, FT), **FK-Y08A**** (**= blank, T, F, FT) : **230V**
AC, 50Hz, 2000W, Class I

Da su gore navedeni proizvodi usaglašeni sa direktivama Evropske Unije:

Referentni broj direktive:	Opis direktive:
2006/95/EC	Direktiva za električne uređaje niskog napona . (LVD)
2004/108/EC	Direktiva za elektromagnetsku kompatibilnost (EMC)

Referentni broj primenjenih standarda:

EN 55014-1: 2006

EN 55014-2: 1997/+A1: 2001

EN 61000-3-2: 2006

EN 61000-3-3: 1995/+A1: 2001/+A2: 2005

EN 60335-2-30 : 2009

EN 60335-1: 2002+A11: 2004+A1: 2004+A12: 2006+A2: 2006+A13: 2008+A14: 2010+A15: 2011

EN 62233: 2008

Broj Deklaracije o usaglašenosti prema deklaraciji (Ispitni izveštaj):

HZ03062013-EL/ HZ12050674-001, HZ09030260-001, HZ09030260-001/A1

Naziv i adresa ispitne laboratorije:

Intertek Testing Services Hangzhou Ltd.

16 No. 1 Ave., Xiasha Economic Development District, Hangzhou 310018, China

Tel. +86 571 2899 7803, Fax. +86 571 2899 7888

Datum izdavanja: **13.04.2009 and 28.07.2013**

Lokacija tehničke dokumentacije:

88 HUCHONG RD, CIXI, NINGBO, ZHEJIANG, CHINA

Ningbo, 15/06/2016

CIXI YULONG ELECTRIC APPLIANCE CO.,LTD.

No. 88 HUCHONG RD, CIXI, NINGBO, ZHEJIANG, CHINA

TEL:0086-574-63028220 FAX:0086-574- 63029301

Declaration of Conformity

On behalf of undersigned producer of the product:

Producer: **CIXI YULONG ELECTRIC APPLIANCE CO.,LTD.**

Address: **88 HUCHONG RD, CIXI, NINGBO, ZHEJIANG, CHINA**

We declare that following identified product:

Name of the product: Convector Heater
Model No.: FK-Y01**, FK-Y01A**, FK-Y01B** : (**= blank, T, F, FT); FK-Y02 ; FK-Y03** : (**= blank, T, F, FT); FK-Y08**, FK-Y08A** : (**= blank, T, F, FT); FK-Y01**, FK-Y01B** : (**= blank, T, F, FT); FK-Y02 ; FK-Y03** : (**= blank, T, F, FT); FK-Y08** (**= blank, T, F, FT): 220-240V AC, 50Hz, 1800-2000W, Class I FK-Y01A** (**= blank, T, F, FT), FK-Y08A** (**= blank, T, F, FT) : 230V AC, 50Hz, 2000W, Class I

Fits to the rules of the European Union:

Reference number of the directive:	Name of the directive:
2004/108/EC	Directive of the European Parliament and of the Council about the national legislation regarding the Electromagnetic Compatibility Regulations. (EMC)
2006/95/EC	Directive of the European Parliament and of the Council about the national legislation regarding the Low Voltage Legislation. (LVD)

Reference number of applied standards (identification mark and year of issue):

EN 55014-1: 2006 EN 55014-2: 1997/+A1: 2001 EN 61000-3-2: 2006 EN 61000-3-3: 1995/+A1: 2001/+A2: 2005 EN 60335-2-30 : 2009 EN 60335-1: 2002+A11: 2004+A1: 2004+A12: 2006+A2: 2006+A13: 2008+A14: 2010+A15: 2011 EN 62233: 2008

Other references and information:

Number of Declaration of Conformity according to the declaration (test report):

HZ15062016-EL/ HZ12050674-001, HZ09030260-001, HZ09030260-001/A1

Name and Adress of the issuing institution:

Intertek Testing Services Hangzhou Ltd.


16 No. 1 Ave., Xiasha Economic Development District, Hangzhou 310018, China

Tel. +86 571 2899 7803, Fax. +86 571 2899 7888

Date of issue: **13.04.2009 and 28.07.2013**

Location of technical documentation: **88 HUCHONG RD, CIXI, NINGBO, ZHEJIANG, CHINA**

CIXI YULONG ELECTRIC APPLIANCE CO.,LTD
慈溪玉龙电器有限公司


(Authorized person)

Ningbo, 15/06/2016

HZ15062016-EL



Akcionarsko društvo za ispitivanje kvaliteta "KVALITET" Niš
Акционерско друштво за испитивање квалитета "КВАЛИТЕТ" Ниш
Joint-stock company for quality testing "KVALITET" Niš



POTVRDA O USAGLAŠENOSTI Broj: **P07160199300**
CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: KAO U PRILOGU
Type:

Robna marka:
Trademark:

Proizvodjač: CIXI YULONG ELECTRIC APPLIANCE CO., LTD.
Manufacturer: KINA

Vrednovana dokumentacija *Evaluated documentation:*

Ispitni izveštaj: HZ09030260-001/Amendment 2 od 19.8.2012.
Test report:

Izdat od: Intertek Testing Service Hangzhou Limited
Issued by:

Na osnovu gore navedene dokumentacije utvrđeno je da gore navedeni proizvod zadovoljava zahteve 'Pravilnika o elektromagnetskoj kompatibilnosti' (Sl. glasnik RS, 13/2010).

On the basis of the above mentioned documentation it is found that above mentioned product fulfils the requirements of the 'Rulebook on Electromagnetic Compatibility' (Official Gazette RS, 13/2010).

Nastale promene u specifikaciji, tipu/modelu, komponentama, električnim karakteristikama proizvoda koji utiču na usaglašenost sa navedenim Pravilnikom moraju se prijaviti "Kvalitet"-u a.d. Niš.

Any changes occur in the specification, type/model, components of the design, electrical construction which may influence on conformity to the above mention Rulebook, shall be forwarded to "Kvalitet".

Mesto i datum izdavanja: Važi do:
Place and date: Valid until:
Niš, 20.06.2016. 19.06.2019.



Generalni direktor

Vladimir Vukašinić, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs



Akcionarsko društvo za ispitivanje kvaliteta "KVALITET" Niš
Акционерско друштво за испитивање квалитета "КВАЛИТЕТ" Ниш
Joint-stock company for quality testing "KVALITET" Niš



PRILOG POTVRDE O USAGLAŠENOSTI Broj: **P07160199300**
ANNEX OF CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: FK-Y01**, FK-Y01A**, FK-Y01B** ; (**=blank, T, F, FT); FK-Y02; FK-Y03** ; (**=blank, T, F, FT); FK-Y08** ; FK-Y08A** ; (**=blank, T, F, FT); FK-Y01** ; FK-Y01B** (**=blank, T, F, FT); FK-Y02; FK-Y03** ; (**=blank, T, F, FT); FK-Y08** ; (**=blank, T, F, FT): 220-240V AC, 50Hz, 1800-2000W, Class I; FK-Y01A** (**=blank, T, F, FT); FK-Y08A** (**=blank, T, F, FT): 230V AC, 50Hz, 2000W, Class I

Mesto i datum izdavanja: Važi do:
Place and date: Valid until:
Niš, 20.06.2016. 19.06.2019.



Za Generalni direktor

Vladimir Vukašinić, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs



Akcionarsko društvo za ispitivanje kvaliteta "KVALITET" Niš
Акционарско друштво за испитивање квалитета "КВАЛИТЕТ" Ниш
Joint-stock company for quality testing "KVALITET" Niš



POTVRDA O USAGLAŠENOSTI Broj: **P0816083600**
CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: KAO U PRILOGU
Type:

Robna marka: ELEMENTA
Trademark:

Proizvodjač: CIXI YULONG ELECTRIC APPLIANCE CO., LTD.
Manufacturer: KINA

Vrednovana dokumentacija *Evaluated documentation:*

Ispitni izveštaj: HZ12050674-001,28.07.2012
Test report:

Izdat od: INTERTEK KINA
Issued by:

Na osnovu gore navedene dokumentacije utvrđeno je da gore navedeni proizvod zadovoljava zahteve 'Pravilnika o električnoj opremi namenjenoj za upotrebu u okviru određenih granica napona' (Sl. glasnik RS, 13/2010).
On the basis of the above mentioned documentation it is found that above mentioned product fulfils the requirements of the 'Rulebook on Electrical Equipment designed for Use within Certain Voltage Limits' (Official Gazette RS, 13/2010).

Nastale promene u specifikaciji, tipu/modelu, komponentama, električnim karakteristikama proizvoda koji utiču na usaglašenost sa navedenim Pravilnikom moraju se prijaviti "Kvalitet"-u a.d. Niš.
Any changes occur in the specification, type/model, components of the design, electrical construction which may influence on conformity to the above mention Rulebook, shall be forwarded to "Kvalitet".

Mesto i datum izdavanja: Važi do:
Place and date: Valid until:
Niš, 20.06.2016. 19.06.2019.



Za Generalni direktor

Vladimir Vukašinić, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs



Akcionarsko društvo za ispitivanje kvaliteta "KVALITET" Niš
Акционарско друштво за испитивање квалитета "КВАЛИТЕТ" Ниш
Joint-stock company for quality testing "KVALITET" Niš



PRILOG POTVRDE O USAGLAŠENOSTI Broj: **P0816083600**
ANNEX OF CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: FK-Y01**; FK-Y01A**; FK-Y01B** ; (**=blank, T, F, FT); FK-Y02; FK-Y03**; (**=blank, T, F, FT); FK-Y08**; FK-Y08A**; (**=blank, T, F, FT); FK-Y01**; FK-Y01B** (**=blank, T, F, FT); FK-Y02; FK-Y03**; (**=blank, T, F, FT); FK-Y08**; (**=blank, T, F, FT): 220-240V AC, 50Hz,1800-2000W,Class I; FK-Y01A** (**=blank, T, F, FT); FK-Y08A** (**=blank, T, F, FT): 230V AC, 50Hz,2000W,Class I

Mesto i datum izdavanja: Niš, 20.06.2016.
Place and date:
Važi do: 19.06.2019.
Valid until:



za Generalni direktor

Vladimir Vukašinović, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs

PREVOD: „EC” Deklaracija o usaglašenosti

Proizvođača:

CIXI YULONG ELECTRIC APPLIANCE CO.,LTD.
88 HUICHONG RD, CIXI, NINGBO, ZHEJIANG, CHINA

Izjavljujemo da:

Naziv proizvoda: **Grejalica sa ventilatorom**

Šifra proizvoda: **FK-Y01**, FK-Y01A**, FK-Y01B****: (**= blank, T, F, FT);

FK-Y02;

FK-Y03**: (**= blank, T, F, FT);

FK-Y08, FK-Y08A****: (**= blank, T, F, FT);

FK-Y01, FK-Y01B****: (**= blank, T, F, FT); **FK-Y02;**

FK-Y03**: (**= blank, T, F, FT); **FK-Y08**** (**= blank, T, F, FT): **220-240V**

AC, 50Hz, 1800-2000W, Class I

FK-Y01A** (**= blank, T, F, FT), **FK-Y08A**** (**= blank, T, F, FT) : **230V**

AC, 50Hz, 2000W, Class I

Da su gore navedeni proizvodi usaglašeni sa direktivama Evropske Unije:

Referentni broj direktive: Opis direktive:

2006/95/EC

2004/108/EC

Direktiva za električne uređaje niskog napona . (LVD)

Direktiva za elektromagnetsku kompatibilnost (EMC)

Referentni broj primenjenih standarda:

EN 55014-1: 2006

EN 55014-2: 1997/+A1: 2001

EN 61000-3-2: 2006

EN 61000-3-3: 1995/+A1: 2001/+A2: 2005

EN 60335-2-30 : 2009

EN 60335-1: 2002+A11: 2004+A1: 2004+A12: 2006+A2: 2006+A13: 2008+A14: 2010+A15: 2011

EN 62233: 2008

Broj Deklaracije o usaglašenosti prema deklaraciji (Ispitni izveštaj):

HZ03062013-EL/ HZ12050674-001, HZ09030260-001, HZ09030260-001/A1

Naziv i adresa ispitne laboratorije:

Intertek Testing Services Hangzhou Ltd.

16 No. 1 Ave., Xiasha Economic Development District, Hangzhou 310018, China

Tel. +86 571 2899 7803, Fax. +86 571 2899 7888

Datum izdavanja: 13.04.2009 and 28.07.2013

Lokacija tehničke dokumentacije:

88 HUICHONG RD, CIXI, NINGBO, ZHEJIANG, CHINA



Akcionarsko društvo za ispitivanje kvaliteta "KVALITET" Niš
Акционарско друштво за испитивање квалитета "КВАЛИТЕТ" Ниш
Joint-stock company for quality testing "KVALITET" Niš



POTVRDA O USAGLAŠENOSTI Broj: **P07130325100**
CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: KAO U PRILOGU
Type:

Robna marka:
Trademark:

Proizvodjač: CIXI YULONG ELECTRIC APPLIANCE CO., LTD.
Manufacturer: KINA

Vrednovana dokumentacija *Evaluated documentation:*

Ispitni izveštaj: HZ09030260-001/Amendment 2 od 19.8.2012.
Test report:

Izdat od: Intertek Testing Service Hangzhou Limited
Issued by:

Na osnovu gore navedene dokumentacije utvrđeno je da gore navedeni proizvod zadovoljava zahteve 'Pravilnika o elektromagnetskoj kompatibilnosti' (Sl. glasnik RS, 13/2010).

On the basis of the above mentioned documentation it is found that above mentioned product fulfils the requirements of the 'Regulation of electromagnetic compatibility' (Official Gazette RS, 13/2010).

Nastale promene u specifikaciji, tipu/modelu, komponentama, električnim karakteristikama proizvoda koji utiču na usaglašenost sa navedenim Pravilnikom moraju se prijaviti "Kvalitet"-u a.d. Niš.

Any changes occur in the specification, type/model, components of the design, electrical construction which may influence on conformity to the above mention Regulation, shall be forwarded to "Kvalitet".

Mesto i datum izdavanja: Niš, 10.06.2013.
Place and date:
Važi do: 10.06.2016.
Valid until:



Generalni direktor

Vladimir Vukašinović, dipl.inž.

Ovaj dokument važi samo uz proizvode i/ili robu koji su istovetni s ispitanim uzorkom.



Akcionarsko društvo za ispitivanje kvaliteta "KVALITET" Niš
Акционарско друштво за испитивање квалитета "КВАЛИТЕТ" Ниш
Joint-stock company for quality testing "KVALITET" Niš



PRILOG POTVRDE O USAGLAŠENOSTI Broj: P07130325100
ANNEX OF CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: FK-Y01**, FK-Y01A**, FK-Y01B** ; (**=blank, T, F, FT); FK-Y02; FK-Y03** ; (**=blank, T, F, FT); FK-Y08** ; FK-Y08A** ; (**=blank, T, F, FT); FK-Y01** ; FK-Y01B** (**=blank, T, F, FT); FK-Y02; FK-Y03** ; (**=blank, T, F, FT); FK-Y08** ; (**=blank, T, F, FT): 220-240V AC, 50Hz, 1800-2000W, Class I; FK-Y01A** (**=blank, T, F, FT); FK-Y08A** (**=blank, T, F, FT): 230V AC, 50Hz, 2000W, Class I

Mesto i datum izdavanja: Niš, 10.06.2013.
Place and date:
Važi do: 10.06.2016.
Valid until:



Generalni direktor

Vladimir Vukašinović, dipl.inž.

Ovaj dokument važi samo uz proizvode i/ili robu koji su istovetni s ispitanim uzorkom.



Akcionarsko društvo za ispitivanje kvaliteta "KVALITET" Niš
Акционарско друштво за испитивање квалитета "КВАЛИТЕТ" Ниш
Joint-stock company for quality testing "KVALITET" Niš



POTVRDA O USAGLAŠENOSTI
CONFIRMATION OF CONFORMITY

Broj: **P0813067500**
No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: KAO U PRILOGU
Type:

Robna marka: ELEMENTA
Trademark:

Proizvodjač: CIXI YULONG ELECTRIC APPLIANCE CO., LTD.
Manufacturer: KINA

Vrednovana dokumentacija *Evaluated documentation:*

Ispitni izveštaj: HZ12050674-001,28.07.2012
Test report:

Izdat od: INTERTEK KINA
Issued by:

Na osnovu gore navedene dokumentacije utvrđeno je da gore navedeni proizvod zadovoljava zahteve 'Pravilnika o električnoj opremi namenjenoj za upotrebu u okviru određenih granica napona' (Sl. glasnik RS, 13/2010).
On the basis of the above mentioned documentation it is found that above mentioned product fulfils the requirements of the 'Regulation on electronic equipment intended to be used within specified limits of voltage' (Official Gazette RS, 13/2010).

Nastale promene u specifikaciji, tipu/modelu, komponentama, električnim karakteristikama proizvoda koji utiču na usaglašenost sa navedenim Pravilnikom moraju se prijaviti "Kvalitet"-u a.d. Niš.
Any changes occur in the specification, type/model, components of the design, electrical construction which may influence on conformity to the above mention Regulation, shall be forwarded to "Kvalitet".

Mesto i datum izdavanja: Niš, 10.06.2013.
Place and date:
Važi do: 10.06.2016.
Valid until:



Generalni direktor


Vladimir Vukašević, dipl.inž.

Ovaj dokument važi samo uz proizvode i/ili robu koji su istovetni s ispitanim uzorkom.



Akcionarsko društvo za ispitivanje kvaliteta "KVALITET" Niš
Акционарско друштво за испитивање квалитета "КВАЛИТЕТ" Ниш
Joint-stock company for quality testing "KVALITET" Niš



PRILOG POTVRDE O USAGLAŠENOSTI Broj: **P0813067500**
ANNEX OF CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56


Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: FK-Y01**; FK-Y01A**; FK-Y01B** ; (**=blank, T, F, FT); FK-Y02; FK-Y03**; (**=blank, T, F, FT); FK-Y08**; FK-Y08A** ; (**=blank, T, F, FT); FK-Y01**; FK-Y01B** (**=blank, T, F, FT); FK-Y02; FK-Y03**; (**=blank, T, F, FT); FK-Y08**; (**=blank, T, F, FT): 220-240V AC, 50Hz, 1800-2000W, Class I; FK-Y01A** (**=blank, T, F, FT); FK-Y08A** (**=blank, T, F, FT): 230V AC, 50Hz, 2000W, Class I

Mesto i datum izdavanja: Važi do:
Place and date: Valid until:
Niš, 10.06.2013. 10.06.2016.



Generalni direktor


Vladimir Vukašinović, dipl.inž.

Ovaj dokument važi samo uz proizvode i/ili robu koji su istovetni s ispitanim uzorkom.