# **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

#### Supplier's name or trade mark: LEDVANCE

Supplier's address: LEDVANCE GmbH, Parkring 33, Garching, Germany

#### Model identifier: AC33165

## Type of light source:


| Lighting technology used:                              | LED                           | Non-directional or directional: | DLS |
|--|-------------------------------|---------------------------------|-----|
| Light source cap-type<br>(or other electric interface) | Constant cur-<br>rent: 210 mA |                                 |     |
| Mains or non-mains:                                    | NMLS                          | Connected light source (CLS):   | No  |
| Colour-tuneable light source:                          | No                            | Envelope:                       | -   |
| High luminance light source:                           | No                            |                                 |     |
| Anti-glare shield:                                     | No                            | Dimmable:                       | No  |

| Product parameters                                |   |                              |  |              |  |  |
|---|---|------------------------------|--|--------------|--|--|
| Parameter   |   | Value                        | Parameter  | Value        |  |  |
| General product parameters:                       |   |                              |  |              |  |  |
| • ·   | nption in on-<br>00 h), rounded<br>st integer                                   | 10                           | Energy efficiency<br>class   | E            |  |  |
| dicating if it refe<br>a sphere (360º)            | s flux (фuse), in-<br>ers to the flux in<br>, in a wide cone<br>nrow cone (90º) | 1 150 in Wide<br>cone (120°) | Correlated colour<br>temperature,<br>rounded to the near-<br>est 100 K, or the<br>range of correlat-<br>ed colour temper-<br>atures, rounded to<br>the nearest 100 K,<br>that can be set | 6 500        |  |  |
| On-mode pow<br>pressed in W                       | ver (P <sub>on</sub> ), ex-   | 9,5                          | Standby power (P <sub>sb</sub> ),<br>expressed in W and<br>rounded to the sec-<br>ond decimal  | 0,00         |  |  |
| (P <sub>net</sub> ) for CLS, e                    | andby power<br>expressed in W<br>the second dec-                                | -                            | Colour rendering in-<br>dex, rounded to the<br>nearest integer, or<br>the range of CRI-val-<br>ues that can be set   | 80           |  |  |
| Outer dimen-                                      | Height  | 14                           | Spectral power dis-  | See image    |  |  |
| sions without                                     | Width   | 51                           | tribution in the   | in last page |  |  |
| separate con-<br>trol gear, light-<br>ing control | Depth   | 101                          | range 250 nm to 800<br>nm, at full-load  |              |  |  |

| parts and non-<br>lighting con-<br>trol parts, if<br>any (millime-<br>tre) |      |   |                |  |  |  |
|--|------|---|----------------|--|--|--|
| Claim of equivalent power <sup>(a)</sup>                                   | -    | If yes, equivalent power (W)  | -              |  |  |  |
|  |      | Chromaticity coordi-<br>nates (x and y)                                       | 0,312<br>0,328 |  |  |  |
| Parameters for directional light sources:                                  |      |   |                |  |  |  |
| Peak luminous intensity (cd)   | 530  | Beam angle in de-<br>grees, or the range<br>of beam angles that<br>can be set | 105            |  |  |  |
| Parameters for LED and OLED light sources:                                 |      |   |                |  |  |  |
| R9 colour rendering index value  | 0    | Survival factor   | 0,90           |  |  |  |
| the lumen maintenance factor   | 0,96 |   |                |  |  |  |

(a)'-' : not applicable;

(b)'-' : not applicable;



Model placed on the Union market from 09/09/2021



EPREL registration number: 614099

Supplier: LEDVANCE GmbH (Manufacturer)

## Customer care service:

Name: LEDVANCE GmbH

Email: contact@ledvance.com

### Address:

Parkring 33, Garching, Germany

https://eprel.ec.europa.eu/qr/614099

Website: http://www.ledvance.com/

Website:

Phone: +49 89-780673-100